ANNEX 1 Key Category Analysis

The United States has identified national key categories based on the estimates presented in this report. The IPCC's *Good Practice Guidance* (IPCC 2000) describes a key category as a "[category] that is prioritized within the national inventory system because its estimate has a significant influence on a country's total inventory of direct greenhouse gases in terms of the absolute level of emissions, the trend in emissions, or both." By definition, key categories are sources or sinks that have the greatest contribution to the absolute overall level of national emissions in any of the years covered by the time series. In addition, when an entire time series of emission estimates is prepared, a determination of key categories must also account for the influence of the trends of individual categories. Therefore, a trend assessment is conducted to identify source and sink categories for which significant uncertainty in the estimate would have considerable effects on overall emission trends. Finally, a qualitative evaluation of key categories should be performed, in order to capture any key categories that were not identified in either of the quantitative analyses, but can be considered key because of the unique country-specific estimation methods.

The methodology for conducting a key category analysis, as defined by IPCC's *Good Practice Guidance* (IPCC 2000) and IPCC's *Good Practice Guidance for Land Use, Land-Use Change, and Forestry (IPCC 2003)*, includes:

- Tier 1 approach (including both level and trend assessments);
- Tier 2 approach (including both level and trend assessments, and incorporating uncertainty analysis); and
- Qualitative approach.

This Annex presents an analysis of key categories, both for sources only and also for sources and sinks (i.e., including LULUCF); discusses Tier 1, Tier 2, and qualitative approaches to identifying key categories; provides level and trend assessment equations; and provides a brief statistical evaluation of IPCC's quantitative methodologies for defining key categories.

Table A-1 presents the key categories for the United States based on the Tier 1 approach (including and not including LULUCF categories) using emissions data in this report, and ranked according to their sector and global warming potential-weighted emissions in 2006. The table also indicates the criteria used in identifying these source and sink categories (i.e., level, trend, and/or qualitative assessments).

Table A-1: Key Source Categories for the United States (1990-2006) Based on Tier 1 Approach

		Level	Trend	Level	T 11474		
IPCC Source Categories	Gas	Without LULUCF	Without LULUCF	With LULUCF	Trend With LULUCF	Qual	2006 Emissions (Tg CO ₂ Eq.)
Energy							
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	✓	✓	✓	✓		2,065.3
Mobile Combustion: Road & Other	CO_2	✓	✓	✓	✓		1,635.9
CO ₂ Emissions from Stationary Combustion - Gas	CO_2	✓	✓	✓			1,121.9
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	✓	✓	✓	✓		601.7
Mobile Combustion: Aviation	CO_2	✓	✓	✓	✓		170.6
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	✓		✓			138.0
Mobile Combustion: Marine	CO_2	✓	✓	✓	✓		43.6
CO ₂ Emissions from Natural Gas Systems	CO ₂	✓	✓	✓	✓		28.5
CO ₂ Emissions from Municipal Solid Waste Combustion	CO ₂		✓		✓		20.9
Fugitive Emissions from Natural Gas Systems	CH ₄	✓	✓	✓	✓		102.4
Fugitive Emissions from Coal Mining	CH ₄	✓	✓	✓	✓		58.5
Fugitive Emissions from Petroleum Systems	CH ₄	✓	✓	✓	✓		28.4
Mobile Combustion: Road & Other	N_2O	✓	✓	✓	✓		31.1
International Bunker Fuels ^b	Several					✓	126.9
Industrial Processes							

A-3

IPCC Source Categories	Gas	Level Without LULUCF	Trend Without LULUCF	Level With LULUCF	Trend With LULUCF	Qual	2006 Emissions (Tg CO ₂ Eq.)
CO ₂ Emissions from Iron and Steel Production	CO ₂	✓	✓	✓	✓		47.7
CO ₂ Emissions from Cement Manufacture	CO_2	✓	✓	✓	✓		45.7
CO ₂ Emissions from Ammonia Manufacture and Urea Application	CO_2		✓		✓		12.4
N ₂ O Emissions from Adipic Acid Production	N_2O		✓		✓		5.9
Emissions from Substitutes for Ozone Depleting Substances	Several	✓	✓	✓	✓		107.3
HFC-23 Emissions from HCFC-22 Production	HFCs	✓	✓	✓	✓		13.8
SF ₆ Emissions from Electrical Transmission and Distribution	SF ₆		✓		✓		13.2
PFC Emissions from Aluminum Production	PFCs		✓		✓		2.5
Agriculture							
CH ₄ Emissions from Enteric Fermentation	CH ₄	✓	✓	✓	✓		126.2
CH ₄ Emissions from Manure Management	CH ₄			✓			41.4
Direct N ₂ O Emissions from Agricultural Soil Management	N_2O	✓	✓	✓	✓		379.3
Indirect N ₂ O Emissions from Applied Nitrogen	N_2O	✓	✓	✓	✓		50.4
Waste							
CH ₄ Emissions from Landfills	CH ₄	✓	✓	✓	✓		125.7
Land Use, Land Use Change, and Forestry							
CO ₂ Emissions from Forest Land Remaining Forest Land	CO_2			✓	✓		(745.1)
CO ₂ Emissions from Settlements Remaining Settlements	CO_2			✓	✓		(95.5)
CO ₂ Emissions from Cropland Remaining Cropland	CO_2				✓		(33.8)
CO ₂ Emissions from Grassland Remaining Grassland	CO_2				✓		16.2
CO ₂ Emissions from Landfilled Yard Trimmings and Food Scraps	CO_2				✓		(9.8)
CO ₂ Emissions from Land Converted to Cropland	CO_2				✓		9.4
Subtotal Without LULUCF							6,941.7
Total Emissions Without LULUCF							7,179.0
Percent of Total Without LULUCF							96.7%
Subtotal With LULUCF							6,083.1
Total Emissions With LULUCF Percent of Total WithLULUCF							6,318.9 96.3%

^aQualitative criteria

Note: The Tier 1 approach for identifying key source categories does not directly include assessment of uncertainty in emissions estimates.

Table A-2 provides a complete listing of source categories by IPCC sector, along with comments on the criteria used in identifying key categories, without LULUCF sources and sinks. Similarly, Table A-3 provides a complete listing of source and sink categories by IPCC sector, along with comments on the criteria used in identifying key categories, including LULUCF sources and sinks. The comments refer specifically to the year(s) over the course of the entire inventory time series (i.e., 1990 to 2006) in which each source category reached the threshold for being a key source based on a Tier 1 level assessment.

In addition to conducting Tier 1 level and trend assessments, a qualitative assessment of the source and sink categories, as described in the IPCC's *Good Practice Guidance* (IPCC 2000), was conducted to capture any key categories that were not identified by either quantitative method. One additional key category, international bunker fuels, was identified using this qualitative assessment. International bunker fuels are fuels consumed for aviation or marine international transport activities, and emissions from these fuels are reported separately from totals in accordance with IPCC guidelines. If these emissions were included in the totals, bunker fuels would qualify as a key category according to the Tier 1 approach. The amount of uncertainty associated with estimation of emissions from international bunker fuels also supports the qualification of this source category as key.

Following the text of this Annex, Table A-3 through Table A-7 contain the 1990 and 2006 level assessments for both with and without LULUCF sources and sinks, and contain further detail on where each source falls within the analysis.

bEmissions from this source not included in totals.

Table A- 8 and Table A- 9 detail the "with LULUCF" and "without LULUCF" trend assessments for 1990 through 2006.

Table A-2: U.S Greenhouse Gas Inventory Source Categories without LULUCF

1

2

3

Table A-2: U.S Greenhouse Gas Inventory Source Categ		2006			
IDOO 0 0-t	Direct	Emissions	Key	ID Ouite vie	0
IPCC Source Categories	GHG	(Tg CO ₂ Eq.)	Category?	Criteria	Comments
Energy	00	2.005.2	,		1 aval 1000 and 2000
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	2,065.3	√	L,T	Level 1990 and 2006
Mobile Combustion: Road & Other	CO ₂	1,635.9	√	L,T	Level 1990 and 2006
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	1,121.9	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	601.7	✓	L,T	Level 1990 and 2006
Mobile Combustion: Aviation	CO_2	170.6	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	138.0	✓	L	Level 1990 and 2006
Mobile Combustion: Marine	CO_2	43.6	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Natural Gas Systems	CO_2	28.5	✓	L,T	Level 1990
CO ₂ Emissions from Municipal Solid Waste Combustion	CO_2	20.9	✓	T	
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.4			
CO ₂ Emissions from Petroleum Systems	CO_2	0.3			
Fugitive Emissions from Natural Gas Systems	CH ₄	102.4	✓	L,T	Level 1990 and 2006
Fugitive Emissions from Coal Mining	CH ₄	58.5	✓	L,T	Level 1990 and 2006
Fugitive Emissions from Petroleum Systems	CH ₄	28.4	✓	L,T	Level 1990
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	6.2			
Fugitive Emissions from Abandoned Underground Coal Mines	CH ₄	5.4			
Mobile Combustion: Road & Other	CH ₄	2.1			
Mobile Combustion: Aviation	CH ₄	0.1			
Mobile Combustion: Marine	CH ₄	0.1			
Mobile Combustion: Road & Other	N ₂ O	31.1	✓	L,T	Level 1990
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	14.5			
Mobile Combustion: Aviation Mobile Combustion: Marine	N₂O N₂O	1.6 0.4			
N ₂ O Emissions from Municipal Solid Waste Combustion	N ₂ O	0.4			
International Bunker Fuelsa	Several	126.9	✓	Q	
Industrial Processes	COVOIGI	120.0		<u> </u>	
CO ₂ Emissions from Iron and Steel Production	CO ₂	47.7	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Cement Manufacture	CO_2	45.7	✓	L,T	Level 2006
CO ₂ Emissions from Lime Manufacture	CO ₂	15.8		-, .	2010.200
CO ₂ Emissions from Ammonia Manufacture and Urea Application	CO_2	12.4	✓	Т	
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	8.6		•	
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.2			
CO ₂ Emissions from Aluminum Production	CO_2	3.9			
CO ₂ Emissions from Petrochemical Production	CO_2	2.6			
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.9			
CO ₂ Emissions from Carbon Dioxide Consumption	CO ₂	1.6			
CO ₂ Emissions from Ferroalloy Production	CO ₂	1.5			
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.2			
CO ₂ Emissions from Zinc Production CO ₂ Emissions from Lead Production	CO_2 CO_2	0.5 0.3			
CO ₂ Emissions from Silicon Carbide Production and Consumption	CO ₂	0.3			
CH ₄ Emissions from Petrochemical Production	CH ₄	1.0			
CH ₄ Emissions from Iron and Steel Production	CH ₄	0.9			
CH ₄ Emissions from Silicon Carbide Production and Consumption	CH ₄	+			
CH ₄ Emissions from Ferroalloy Production	CH ₄	+			
N ₂ O Emissions from Nitric Acid Production	N_2O	15.6			
N ₂ O Emissions from Adipic Acid Production	N_2O	5.9	✓	T	
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.4			
Emissions from Substitutes for Ozone Depleting Substances	Several	107.3	✓	L,T	Level 2006

		2006			
IPCC Source Categories	Direct GHG	Emissions (Tg CO ₂ Eq.)	Key	ID Criteria	Comments
			Category?		
HFC-23 Emissions from HCFC-22 Production	HFCs	13.8	✓	L,T	Level 1990
SF ₆ Emissions from Electrical Transmission and Distribution	SF_6	13.2	✓	T	
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF_6	4.8			
SF ₆ Emissions from Magnesium Production and Processing	SF_6	3.2			
PFC Emissions from Aluminum Production	PFCs	2.5	✓	T	
Agriculture					
CH ₄ Emissions from Enteric Fermentation	CH ₄	126.2	✓	L,T	Level 1990 and 2006
CH ₄ Emissions from Manure Management	CH ₄	41.4			
CH ₄ Emissions from Rice Cultivation	CH ₄	5.9			
CH ₄ Emissions from Field Burning of Agricultural Residues	CH ₄	0.8			
Direct N ₂ O Emissions from Agricultural Soil Management	N_2O	379.3	✓	L,T	Level 1990 and 2006
Indirect N ₂ O Emissions from Applied Nitrogen	N_2O	50.4	✓	L,T	Level 1990 and 2006
N ₂ O Emissions from Manure Management	N_2O	14.3			
N ₂ O Emissions from Field Burning of Agricultural Residues	N_2O	0.5			
Waste					
CH ₄ Emissions from Landfills	CH ₄	125.7	✓	L,T	Level 1990 and 2006
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.9			
CH ₄ Emissions from Composting	CH ₄	1.6			
N ₂ O Emissions from Wastewater Treatment	N_2O	8.1			
N ₂ O Emissions from Composting	N_2O	1.8			

^a Emissions from these sources not included in totals.

Table A-3: U.S Greenhouse Gas Inventory Source Categories with LULUCF

		2006			
		Emissions	Key	ID	
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	Category?	Criteria	Comments
Energy					
CO ₂ Emissions from Stationary Combustion - Coal	CO_2	2,065.3	✓	L,T	Level 1990 and 2006
Mobile Combustion: Road & Other	CO_2	1,635.9	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Stationary Combustion - Gas	CO_2	1,121.9	✓	L	Level 1990 and 2006
CO ₂ Emissions from Stationary Combustion - Oil	CO_2	601.7	✓	L,T	Level 1990 and 2006
Mobile Combustion: Aviation	CO_2	170.6	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	138.0	✓	L	Level 1990 and 2006
Mobile Combustion: Marine	CO_2	43.6	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Natural Gas Systems	CO_2	28.5	✓	L,T	Level 1990
CO ₂ Emissions from Municipal Solid Waste Combustion	CO_2	20.9	✓	T	
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.4			
CO ₂ Emissions from Petroleum Systems	CO_2	0.3			
Fugitive Emissions from Natural Gas Systems	CH ₄	102.4	✓	L,T	Level 1990 and 2006
Fugitive Emissions from Coal Mining	CH ₄	58.5	✓	L,T	Level 1990 and 2006
Fugitive Emissions from Petroleum Systems	CH ₄	28.4	✓	L,T	Level 1990
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	6.2			
Fugitive Emissions from Abandoned Underground Coal Mines	CH ₄	5.4			
Mobile Combustion: Road & Other	CH ₄	2.1			
Mobile Combustion: Aviation	CH ₄	0.1			
Mobile Combustion: Marine	CH ₄	0.1			
Mobile Combustion: Road & Other	N_2O	31.1	✓	L,T	Level 1990 and 2006
Non-CO ₂ Emissions from Stationary Combustion	N_2O	14.5			
Mobile Combustion: Aviation	N_2O	1.6			
Mobile Combustion: Marine	N_2O	0.4			
N ₂ O Emissions from Municipal Waste Combustion	N_2O	0.4			

⁺ Does not exceed 0.05 Tg CO₂ Eq.

Note: LULUCF sources and sinks are not included in this analysis.

Note: The Tier 1 approach for identifying key categories does not directly include assessment of uncertainty in emission estimates.

		2006 Emissions	Key	ID	
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	Category?	Criteria	Comments
International Bunker Fuelsa	Several	126.9	✓	Q	
Industrial Processes					
CO ₂ Emissions from Iron and Steel Production	CO_2	47.7	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Cement Manufacture	CO_2	45.7	✓	L,T	Level 1990 and 2006
CO ₂ Emissions from Lime Manufacture	CO_2	15.8			
CO ₂ Emissions from Ammonia Manufacture and Urea Application	CO_2	12.4	✓	T	
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	8.6			
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.2			
CO ₂ Emissions from Aluminum Production	CO ₂	3.9			
CO ₂ Emissions from Petrochemical Production CO ₂ Emissions from Titanium Dioxide Production	CO_2 CO_2	2.6 1.9			
CO ₂ Emissions from CO ₂ Consumption	CO ₂	1.6			
CO ₂ Emissions from Ferroalloy Production	CO ₂	1.5			
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.2			
CO ₂ Emissions from Zinc Production	CO_2	0.5			
CO ₂ Emissions from Lead Production	CO_2	0.3			
CO ₂ Emissions from Silicon Carbide Production and Consumption	CO_2	0.2			
CH ₄ Emissions from Petrochemical Production	CH ₄	1.0			
CH ₄ Emissions from Iron and Steel Production	CH ₄	0.9			
CH ₄ Emissions from Silicon Carbide Production and Consumption	CH ₄	+			
CH ₄ Emissions from Ferroalloy Production	CH₄	+			
N ₂ O Emissions from Nitric Acid Production	N ₂ O	15.6		_	
N₂O Emissions from Adipic Acid Production	N ₂ O	5.9	✓	T	
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.4			
Emissions from Substitutes for Ozone Depleting Substances	Several	107.3	✓	L,T	Level 2006
HFC-23 Emissions from HCFC-22 Production	HFCs	13.8	✓	L,T	Level 1990
SF ₆ Emissions from Electrical Transmission and Distribution	SF ₆	13.2	✓	T	
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	Several	4.8			
SF ₆ Emissions from Magnesium Production and Processing	SF ₆	3.2		-	
PFC Emissions from Aluminum Production	PFCs	2.5	✓	Т	
Agriculture					
CH ₄ Emissions from Enteric Fermentation	CH₄	126.2	✓	L,T	Level 1990 and 2006
CH ₄ Emissions from Manure Management	CH ₄	41.4	✓	L	Level 1990 and 2006
CH ₄ Emissions from Rice Cultivation	CH ₄	5.9			
CH ₄ Emissions from Field Burning of Agricultural Residues	CH ₄	0.8			
Direct N ₂ O Emissions from Agricultural Soil Management	N_2O	379.3	✓	L,T	Level 1990 and 2006
Indirect N ₂ O Emissions from Applied Nitrogen	N_2O	50.4	✓	L,T	Level 1990 and 2006
N ₂ O Emissions from Manure Management	N ₂ O	14.3			
N ₂ O Emissions from Field Burning of Agricultural Residues	N ₂ O	0.5			
Waste					
CH ₄ Emissions from Landfills	CH ₄	125.7	✓	L,T	Level 1990 and 2006
CH ₄ Emissions from Wastewater Treatment CH ₄ Emissions form Composting	CH ₄	23.9			
N ₂ O Emissions from Wastewater Treatment	CH₄ N₂O	1.6 8.1			
N ₂ O Emissions from Composting	N ₂ O	1.8			
Land Use, Land Use Change, and Forestry	11/20	1.0			
CO ₂ Emissions from Forest Land Remaining Forest Land	CO ₂	(745.1)	✓	L,T	Level 1990 and 2006
•	CO ₂		↓	L,T	Level 1990 and 2006
CO ₂ Emissions from Settlements Remaining Settlements		(95.5)			Level 1990 and 2000
CO ₂ Emissions from Cropland Remaining Cropland CO ₂ Emissions from Land Converted to Grassland	CO_2 CO_2	(33.8)	✓	T	
		(16.3)	,	_	
CO ₂ Emissions from Grassland Remaining Grassland	CO ₂	16.2	√	T	
CO ₂ Emissions from Landfilled Yard Trimmings and Food Scraps	CO ₂	(9.8)	✓	T -	
CO2 Emissions from Land Converted to Cropland	CO_2	9.4	✓	T	
CH ₄ Emissions from Forest Land Remaining Forest Land	CH ₄	11.6			

		2006 Emissions	Kev	ID	
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	,	Criteria	Comments
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	1.8			
N₂O Emissions from Forest Land Remaining Forest Land	N_2O	1.5			

^a Emissions from these sources not included in totals.

Evaluation of Tier 1 Key Categories

Level Assessment

When using a Tier 1 approach for the level assessment, a predetermined cumulative emissions threshold is used to identify key categories. When source and sink categories are sorted in order of decreasing absolute emissions, those that fall at the top of the list and cumulatively account for 95 percent of emissions are considered key categories. The 95 percent threshold in the IPCC *Good Practice Guidance* (IPCC 2000) was designed to establish a general level where the key category analysis covers approximately 75 to 92 percent of inventory uncertainty.

It is important to note that a key category analysis can be sensitive to the definitions of the source and sink categories. If a large source category is split into many subcategories, then the subcategories may have contributions to the total inventory that are too small for those source categories to be considered key. Similarly, a collection of small, non-key source categories adding up to less than 5 percent of total emissions could become key source categories if those source categories were aggregated into a single source category. The United States has attempted to define source and sink categories by the conventions which would allow comparison with other international key categories, while still maintaining the category definitions that constitute how the emissions estimates were calculated for this report. As such, some of the category names used in the key category analysis may differ from the names used in the main body of the report. Additionally, the United States accounts for some source categories, including fossil fuel feedstocks, international bunkers, and emissions from U.S. territories, that are derived from unique data sources using country-specific methodologies.

Trend Assessment

The United States is currently taking a Tier 1 approach to identify trend assessment key categories until a full and consistent inventory-wide uncertainty analysis is completed. The Tier 1 approach for trend assessment is defined as the product of the source or sink category level assessment and the absolute difference between the source or sink category trend and the total trend. In turn, the source or sink category trend is defined as the change in emissions from the base year to the current year, as a percentage of current year emissions from that source or sink category. The total trend is the percentage change in total inventory emissions from the base year to the current year.

Thus, the source or sink category trend assessment will be large if the source or sink category represents a large percentage of emissions and/or has a trend that is quite different from the overall inventory trend. To determine key categories, the trend assessments are sorted in decreasing order, so that the source or sink categories with the highest trend assessments appear first. The trend assessments are summed until the threshold of 95 percent is reached; all categories that fall within that cumulative 95 percent are considered key categories.

Tier 2 Key Category Assessment

IPCC Good Practice Guidance (IPCC 2000) recommends using a Tier 2 method for identifying key source categories if nationally derived source-level uncertainties are measured. The Tier 2 approach is a more detailed analysis that builds on the Tier 1 approach by multiplying the results of the Tier 1 analysis by the relative uncertainty of each source category. This method is likely to reduce the number of key source categories under consideration. As part of its multi-year uncertainty assessment effort, the United States has already developed quantitative uncertainty estimates for most source and sink categories. When quantitative estimates of uncertainty become available for all source categories, future inventories can incorporate this Tier 2 approach.

⁺ Does not exceed 0.05 Tg CO2 Eq.

Note: The Tier 1 approach for identifying key categories does not directly include assessment of uncertainty in emission estimates.

Table A- 4: 1990 Key Source Category Tier 1 Analysis—Level Assessment, without LULUCF

1

					Cumulative
					Total of
		1990 Estimate	1990 Estimate	Level	Level
IPCC Source Categories	Direct GHG	(Tg CO₂ Eq.)	(Tg CO₂ Eq.)		Assessment
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,698.9	1,698.9	0.27	0.27
Mobile Combustion: Road & Other	CO ₂	1,247.4	1,247.4	0.20	0.47
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	975.4	975.4	0.15	0.62
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	575.9	575.9	0.09	0.71
Direct N ₂ O Emissions from Agricultural Soil Management	N ₂ O	379.4	379.4	0.06	0.77
Mobile Combustion: Aviation	CO ₂	180.0	180.0	0.03	0.80
CH ₄ Emissions from Landfills	CH ₄	149.6	149.6	0.02	0.83
CH ₄ Emissions from Enteric Fermentation	CH ₄	126.9	126.9	0.02	0.85
Fugitive Emissions from Natural Gas Systems	CH ₄	124.7	124.7	0.02	0.87
CO ₂ Emissions from Non-Energy Use of Fuels CO ₂ Emissions from Iron and Steel Production	CO ₂ CO ₂	117.2 84.9	117.2 84.9	0.02 0.01	0.89 0.90
Fugitive Emissions from Coal Mining	CO ₂ CH ₄	84.1	84.1	0.01	0.90
Indirect N ₂ O Emissions from Applied Nitrogen	N ₂ O	51.1	51.1	0.01	0.91
Mobile Combustion: Marine	CO ₂	46.1	46.1	0.01	0.92
Mobile Combustion: Road & Other	N ₂ O	41.4	41.4	0.01	0.93
HFC-23 Emissions from HCFC-22 Production	HFCs	35.0	35.0	0.01	0.94
Fugitive Emissions from Petroleum Systems	CH ₄	33.9	33.9	0.01	0.95
CO ₂ Emissions from Natural Gas Systems	CO ₂	33.7	33.7	0.01	0.95
CO ₂ Emissions from Cement Manufacture	CO ₂	33.3	33.3	0.01	0.96
CH ₄ Emissions from Manure Management	CH ₄	31.0	31.0	<0.01	0.96
SF ₆ Emissions from Electrical Transmission and Distribution	SF ₆	26.7	26.7	<0.01	0.97
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.0	23.0	<0.01	0.97
PFC Emissions from Aluminum Production	PFCs	18.5	18.5	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.0	17.0	<0.01	0.97
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	16.9	16.9	<0.01	0.98
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.3	15.3	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	12.8	12.8	< 0.01	0.98
N ₂ O Emissions from Manure Management	N ₂ O	12.1	12.1	<0.01	0.98
CO ₂ Emissions from Lime Manufacture	CO ₂	12.0	12.0	<0.01	0.99
CO ₂ Emissions from Municipal Solid Waste Combustion	CO_2	10.9	10.9	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.4	7.4	<0.01	0.99
CH ₄ Emissions from Rice Cultivation	CH ₄	7.1	7.1	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.8	6.8	<0.01	0.99
N ₂ O Emissions from Wastewater	N_2O	6.3	6.3	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.0	6.0	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.5	5.5	<0.01	0.99
SF ₆ Emissions from Magnesium Production and Processing	SF ₆	5.4	5.4	<0.01	0.99
Mobile Combustion: Road & Other	CH ₄	4.5	4.5	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.4	4.4	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.1	4.1	<0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor					
Manufacture	SF_6	2.9	2.9	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO_2	2.2	2.2	<0.01	1.00
CO ₂ Emissions from Ferroalloy Production	CO_2	2.2	2.2	<0.01	1.00
Mobile Combustion: Aviation	N_2O	1.7	1.7	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.5	1.5	<0.01	1.00
CO ₂ Emissions from Carbon Dioxide Consumption	CO ₂	1.4	1.4	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.3	1.3	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.2	1.2	<0.01	1.00
CO ₂ Emissions from Zinc Production	CO ₂	0.9	0.9	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH₄	0.9	0.9	<0.01	1.00
CH ₄ Emissions from Field Burning of Agricultural Residues	CH ₄	0.7	0.7	< 0.01	1.00
N ₂ O Emissions from Municipal Solid Waste Combustion	N_2O	0.5	0.5	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal	00	0.4	0.4	-0.04	4.00
Energy	CO ₂	0.4	0.4	<0.01	1.00
CO ₂ Emissions from Petroleum Systems	CO ₂	0.4	0.4	<0.01	1.00

					Cumulative
					Total of
		1990 Estimate	1990 Estimate	Level	Level
IPCC Source Categories	Direct GHG	(Tg CO ₂ Eq.)	(Tg CO₂ Eq.)	Assessment	Assessment
Mobile Combustion: Marine	N ₂ O	0.4	0.4	<0.01	1.00
CO ₂ Emissions from Silicon Carbide Production and					
Consumption	CO_2	0.4	0.4	<0.01	1.00
N ₂ O Emissions from Field Burning of Agricultural Residues	N_2O	0.4	0.4	< 0.01	1.00
N ₂ O Emissions from Composting	N_2O	0.4	0.4	<0.01	1.00
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	0.3	< 0.01	1.00
CH ₄ Emissions from Composting	CH ₄	0.3	0.3	< 0.01	1.00
CO ₂ Emissions from Lead Production	CO_2	0.3	0.3	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.2	0.2	< 0.01	1.00
Mobile Combustion: Marine	CH ₄	0.1	0.1	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production and					
Consumption	CH ₄	<0.1	<0.1	<0.01	1.00
CH ₄ Emissions from Ferroalloy Production	CH ₄	<0.1	<0.1	<0.01	1.00

Note: LULUCF sources and sinks are not included in this analysis.

Table A- 5: 1990 Key Source Category Tier 1 Analysis—Level Assessment, with LULUCF

Table A- 5: 1990 key Source Category Her TAnalysi	3 LCVCI NS.				Cumulative Total of
IPCC Source Categories	Direct GHG	1990 Estimate (Tg CO ₂ Eq.)	1990 Estimate (Tg CO ₂ Eq.)	Level Assessment	Level Assessment
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1698.9	1698.9	0.24	0.24
Mobile Combustion: Road & Other	CO ₂	1247.4	1247.4	0.18	0.42
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	975.4	975.4	0.14	0.56
CO ₂ Emissions from Forest Land Remaining Forest Land	CO ₂	621.7	621.7	0.09	0.64
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	575.9	575.9	80.0	0.72
Direct N ₂ O Emissions from Agricultural Soil Management	N ₂ O	379.4	379.4	0.05	0.78
Mobile Combustion: Aviation	CO ₂	180.0	180.0	0.03	0.80
CH ₄ Emissions from Landfills	CH ₄	149.6	149.6	0.02	0.83
CH ₄ Emissions from Enteric Fermentation	CH ₄	126.9	126.9	0.02	0.84
Fugitive Emissions from Natural Gas Systems	CH ₄	124.7	124.7	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	117.2	117.2	0.02	0.88
CO ₂ Emissions from Iron and Steel Production	CO ₂	84.9	84.9	0.01	0.89
Fugitive Emissions from Coal Mining	CH ₄	84.1	84.1	0.01	0.90
CO ₂ Emissions from Settlements Remaining Settlements	CO ₂	60.6	60.6	0.01	0.91
Indirect N ₂ O Emissions from Applied Nitrogen	N ₂ O	51.1	51.1	0.01	0.92
Mobile Combustion: Marine	CO ₂	46.1	46.1	0.01	0.92
Mobile Combustion: Road & Other	N ₂ O	41.4	41.4	0.01	0.93
HFC-23 Emissions from HCFC-22 Production	HFCs	35.0	35.0	<0.01	0.93
Fugitive Emissions from Petroleum Systems	CH ₄	33.9	33.9	<0.01	0.94
CO ₂ Emissions from Natural Gas Systems	CO ₂	33.7	33.7	<0.01	0.94
CO ₂ Emissions from Cement Manufacture	CO ₂	33.3	33.3	<0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.0	31.0	<0.01	0.95
SF ₆ Emissions from Electrical Transmission and Distribution	SF ₆	26.7	26.7	<0.01	0.96
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.0	23.0	<0.01	0.96
CO ₂ Emissions from Cropland Remaining Cropland	CO_2	23.0	23.0	<0.01	0.96
CO ₂ Emissions from Landfilled Yard Trimmings and Food					
Scraps	CO_2	22.8	22.8	<0.01	0.97
PFC Emissions from Aluminum Production	PFCs	18.5	18.5	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N_2O	17.0	17.0	<0.01	0.97
CO ₂ Emissions from Ammonia Production and Urea Application		16.9	16.9	<0.01	0.97
N ₂ O Emissions from Adipic Acid Production	N_2O	15.3	15.3	<0.01	0.98
CO ₂ Emissions from Land Converted to Cropland	CO_2	14.7	14.7	<0.01	0.98
CO ₂ Emissions from Land Converted to Grassland	CO_2	14.3	14.3	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.8	12.8	<0.01	0.98
N ₂ O Emissions from Manure Management	N_2O	12.1	12.1	<0.01	0.98
CO ₂ Emissions from Lime Manufacture	CO_2	12.0	12.0	<0.01	0.99
CO ₂ Emissions from Municipal Solid Waste Combustion	CO_2	10.9	10.9	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.4	7.4	<0.01	0.99

					Cumulative
		4000 Fatimata	4000 Fatimata	Laural	Total of Level
IPCC Source Categories	Direct GHG	1990 Estimate (Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Level Assessment	Assessment
CH ₄ Emissions from Rice Cultivation	CH ₄	7.1	7.1	<0.01	0.99
CH ₄ Emissions from Forest Land Remaining Forest Land	CH ₄	7.1	7.1	<0.01	
CO ₂ Emissions from Aluminum Production	CO ₂	6.8	6.8	<0.01	0.99
N ₂ O Emissions from Wastewater	N ₂ O	6.3	6.3	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.0	6.0	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.5	5.5	<0.01	
SF ₆ Emissions from Magnesium Production and Processing	SF ₆	5.4	5.4	<0.01	0.99
Mobile Combustion: Road & Other	CH ₄	4.5	4.5	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.4	4.4	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.1	4.1	<0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor	CO2	4.1	4.1	\0.01	1.00
Manufacture	SF ₆	2.9	2.9	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO_2	2.2	2.2	<0.01	1.00
CO ₂ Emissions from Ferroalloy Production	CO ₂	2.2	2.2	<0.01	1.00
CO ₂ Emissions from Grassland Remaining Grassland	CO_2	1.9	1.9	< 0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.7	1.7	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.5	1.5	<0.01	1.00
CO ₂ Emissions from Carbon Dioxide Consumption	CO ₂	1.4	1.4	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.3	1.3	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.2	1.2	<0.01	1.00
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	1.0	1.0	<0.01	1.00
CO ₂ Emissions from Zinc Production	CO ₂	0.9	0.9	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	0.9	0.9	<0.01	1.00
N₂O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.8	0.8	<0.01	
CH ₄ Emissions from Field Burning of Agricultural Residues	CH ₄	0.7	0.7	<0.01	1.00
N ₂ O Emissions from Municipal Solid Waste Combustion	N ₂ O	0.7	0.5	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal	N2O	0.5	0.5	\0.01	1.00
Energy	CO_2	0.4	0.4	<0.01	1.00
CO ₂ Emissions from Petroleum Systems	CO_2	0.4	0.4	<0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.4	0.4	<0.01	1.00
CO ₂ Emissions from Silicon Carbide Production and					
Consumption	CO ₂	0.4	0.4	<0.01	1.00
N ₂ O Emissions from Field Burning of Agricultural Residues	N ₂ O	0.4	0.4	<0.01	1.00
N ₂ O Emissions from Composting	N ₂ O	0.4	0.4	<0.01	1.00
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	0.3	<0.01	1.00
CH ₄ Emissions from Composting	CH ₄	0.3	0.3	<0.01	1.00
CO ₂ Emissions from Lead Production	CO ₂	0.3	0.3	<0.01	
Mobile Combustion: Aviation	CH ₄	0.2	0.2	<0.01	1.00
Mobile Combustion: Aviation Mobile Combustion: Marine	CH ₄	0.1	0.1	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production and	O1 14	0.1	0.1	-0.01	1.00
Consumption	CH ₄	<0.1	<0.1	<0.01	1.00
CH ₄ Emissions from Ferroalloy Production	CH ₄	<0.1	<0.1	<0.01	1.00
GH4 Emissions from Ferroalloy Production	UH4	<u.1< td=""><td><u.t< td=""><td><0.01</td><td>1.00</td></u.t<></td></u.1<>	<u.t< td=""><td><0.01</td><td>1.00</td></u.t<>	<0.01	1.00

Table A- 6: 2006 Key Source Category Tier 1 Analysis—Level Assessment, without LULUCF

1

2

					Cumulative
		1990 Estimate 2	2006 Estimate	Level '	Total of Level
IPCC Source Categories	Direct GHG	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Assessment
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1698.9	2065.3	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1247.4	1635.9	0.23	0.52
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	975.4	1121.9	0.16	0.67
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	575.9	601.7	80.0	0.76
Direct N ₂ O Emissions from Agricultural Soil Management	N ₂ O	379.4	379.3	0.05	0.81
Mobile Combustion: Aviation	CO ₂	180.0	170.6	0.02	0.83
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	117.2	138.0	0.02	0.85
CH ₄ Emissions from Enteric Fermentation	CH ₄	126.9	126.2	0.02	0.87
CH ₄ Emissions from Landfills	CH ₄	149.6	125.7	0.02	0.89
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	107.3	0.01	0.90

		4000 5 (1)	0000 5 41 4		Cumulative
IPCC Source Categories	Direct GHG	1990 Estimate	2006 Estimate (Tg CO ₂ Eq.)		Total of Level Assessment
Fugitive Emissions from Natural Gas Systems	CH ₄	124.7	102.4	0.01	0.92
Fugitive Emissions from Coal Mining	CH ₄	84.1	58.5	0.01	0.92
Indirect N ₂ O Emissions from Applied Nitrogen	N ₂ O	51.1	50.4	0.01	0.93
CO ₂ Emissions from Iron and Steel Production	CO ₂	84.9	47.7	0.01	0.94
CO ₂ Emissions from Cement Manufacture	CO ₂	33.3	45.7	0.01	0.94
Mobile Combustion: Marine	CO ₂	46.1	43.6	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.0	41.4	0.01	0.96
Mobile Combustion: Road & Other	N_2O	41.4	31.1	<0.01	0.96
CO ₂ Emissions from Natural Gas Systems	CO_2	33.7	28.5	<0.01	0.96
Fugitive Emissions from Petroleum Systems	CH ₄	33.9	28.4	<0.01	0.97
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.0	23.9	<0.01	0.97
CO ₂ Emissions from Municipal Solid Waste Combustion	CO_2	10.9	20.9	<0.01	0.97
CO ₂ Emissions from Lime Manufacture	CO_2	12.0	15.8	<0.01	0.98
N ₂ O Emissions from Nitric Acid Production	N_2O	17.0	15.6	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	12.8	14.5	<0.01	0.98
N ₂ O Emissions from Manure Management	N ₂ O	12.1	14.3	<0.01	0.98
HFC-23 Emissions from HCFC-22 Production	HFCs	35.0	13.8	<0.01	0.98
SF ₆ Emissions from Electrical Transmission and Distribution	SF ₆	26.7	13.2	<0.01	0.99
CO ₂ Emissions from Ammonia Manufacture and Urea	00	40.0	40.4	0.04	2.00
Application	CO ₂	16.9	12.4	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.5	8.6	<0.01	0.99
N ₂ O Emissions from Wastewater Treatment	N ₂ O	6.3	8.1	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.4	6.2	<0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.3	5.9	<0.01	0.99
CH ₄ Emissions from Rice Cultivation	CH ₄	7.1	5.9	<0.01	0.99
Fugitive Emissions from Abandoned Underground Coal Mines PFC, HFC, and SF ₆ Emissions from Semiconductor	CH ₄	6.0	5.4	<0.01	0.99
Manufacture	SF ₆	2.9	4.8	<0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.4	4.4	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.1	4.2	<0.01	1.00
CO ₂ Emissions from Aluminum Production	CO ₂	6.8	3.9	<0.01	1.00
SF ₆ Emissions from Magnesium Production and Processing	SF ₆ CO ₂	5.4 2.2	3.2 2.6	<0.01 <0.01	1.00 1.00
CO ₂ Emissions from Petrochemical Production PFC Emissions from Aluminum Production	PFCs	18.5	2.5	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.5	2.3	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.2	1.9	<0.01	1.00
N ₂ O Emissions from Composting	N ₂ O	0.4	1.8	<0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.7	1.6	<0.01	1.00
CH ₄ Emissons from Composting	CH ₄	0.3	1.6	<0.01	1.00
CO ₂ Emissions from Carbon Dioxide Consumption	CO ₂	1.4	1.6	<0.01	1.00
CO ₂ Emissions from Ferroalloy Production	CO ₂	2.2	1.5	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.5	1.2	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	0.9	1.0	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH₄	1.3	0.9	<0.01	1.00
CH ₄ Emissions from Field Burning of Agricultural Residues	CH ₄	0.7	0.8	<0.01	1.00
CO ₂ Emissions from Zinc Production	CO ₂	0.9	0.5	<0.01	1.00
N ₂ O Emissions from Field Burning of Agricultural Residues	N ₂ O	0.4	0.5	< 0.01	1.00
N ₂ O Emissions from Municipal Solid Waste Combustion	N ₂ O	0.5	0.4	< 0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal					
Energy	CO_2	0.4	0.4	< 0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.4	0.4	<0.01	1.00
CO ₂ Emissions from Petroleum Systems	CO_2	0.4	0.3	< 0.01	1.00
CO ₂ Emissions from Lead Production	CO_2	0.3	0.3	<0.01	1.00
CO ₂ Emissions from Silicon Carbide Production and					
Consumption	CO_2	0.4	0.2	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.2	0.1	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.1	0.1	<0.01	1.00
CH ₄ Emissions from Ferroalloy Production	CH ₄	<0.1	<0.1	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production and	CH ₄	<0.1	<0.1	<0.01	1.00

1990 Estimate 2006 Estimate

(Tg CO₂ Eq.) (Tg CO₂ Eq.)

Consumption

Note: LULUCF sources and sinks are not included in this analysis.

Table A-7: 2006 Key Source Category Tier 1 Analysis—Level Assessment with LULUCF

Tubie A 7. 2000 key bourde dutegory fier Failury S	20101110	3033mont with	10100.		Cumulative
			2006		Total of
		1990 Estimate	Estimate	Level	Level
IPCC Source Categories	Direct GHG	(Tg CO₂ Eq.) (1			Assessment
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1698.9	2065.3	0.25	0.25
Mobile Combustion: Road & Other	CO ₂	1247.4	1635.9	0.20	0.46
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	975.4	1121.9	0.14	0.59
CO ₂ Emissions from Forest Land Remaining Forest Land	CO ₂	621.7	745.1	0.09	0.69
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	575.9	601.7	0.07	0.76
Direct N ₂ O Emissions from Agricultural Soil Management	N ₂ O	379.4	379.3	0.05	0.81
Mobile Combustion: Aviation	CO ₂	180.0	170.6	0.02	0.83
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	117.2	138.0	0.02	0.84
CH ₄ Emissions from Enteric Fermentation	CH ₄	126.9	126.2	0.02	0.86
CH ₄ Emissions from Landfills	CH₄	149.6	125.7	0.02	0.88
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	107.3	0.01	0.89
Fugitive Emissions from Natural Gas Systems	CH₄	124.7	102.4	0.01	0.90
CO ₂ Emissions from Settlements Remaining Settlements	CO ₂	60.6	95.5	0.01	0.91
Fugitive Emissions from Coal Mining	CH₄	84.1	58.5	0.01	0.92
Indirect N ₂ O Emissions from Applied Nitrogen	N ₂ O	51.1	50.4	0.01	0.93
CO ₂ Emissions from Iron and Steel Production	CO ₂	84.9	47.7	0.01	0.93
CO ₂ Emissions from Cement Manufacture	CO ₂	33.3	45.7	0.01	0.94
Mobile Combustion: Marine	CO ₂	46.1	43.6	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.0	41.4	0.01	0.95
Mobile Combustion: Road & Other	N ₂ O	41.4	31.1	<0.01	0.95
CO ₂ Emissions from Cropland Remaining Cropland	CO_2	23.0	33.8	<0.01	0.96
CO ₂ Emissions from Natural Gas Systems	CO_2	33.7	28.5	<0.01	0.96
Fugitive Emissions from Petroleum Systems	CH ₄	33.9	28.4	<0.01	0.96
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.0	23.9	<0.01	0.97
CO ₂ Emissions from Municipal Solid Waste Combustion	CO_2	10.9	20.9	<0.01	0.97
HFC-23 Emissions from HCFC-22 Production	HFCs	35.0	13.8	<0.01	0.97
CO ₂ Emissions from Land Converted to Grassland	CO_2	14.3	16.3	<0.01	0.97
CO ₂ Emissions from Grassland Remaining Grassland	CO_2	1.9	16.2	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N_2O	17.0	15.6	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.8	14.5	<0.01	0.98
CO ₂ Emissions from Lime Manufacture	CO_2	12.0	15.8	<0.01	0.98
N ₂ O Emissions from Manure Management	N_2O	12.1	14.3	<0.01	0.98
SF ₆ Emissions from Electrical Transmission and Distribution	SF ₆	26.7	13.2	<0.01	0.98
CO ₂ Emissions from Ammonia Manufacture and Urea					
Application	CO_2	16.9	12.4	<0.01	0.99
CH ₄ Emissions from Forest Land Remaining Forest Land	CH₄	7.1	11.6	<0.01	0.99
CO ₂ Emissions from Land Converted to Cropland	CO_2	14.7	9.4	<0.01	0.99
CO ₂ Emissions from Landfilled Yard Trimmings and Food					
Scraps	CO_2	22.8	9.8	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.5	8.6	<0.01	0.99
N ₂ O Emissions from Wastewater Treatment	N_2O	6.3	8.1	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.4	6.2	<0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.3	5.9	<0.01	0.99
CH ₄ Emissions from Rice Cultivation	CH ₄	7.1	5.9	<0.01	0.99
Fugitive Emissions from Abandoned Underground Coal Mines	CH ₄	6.0	5.4	<0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor					
Manufacture	SF ₆	2.9	4.8	<0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.4	4.4	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.1	4.2	<0.01	1.00
CO ₂ Emissions from Aluminum Production	CO ₂	6.8	3.9	<0.01	1.00

		1990 Estimate	2006 Estimate	Level	Cumulative Total of Level
IPCC Source Categories	Direct GHG	(Tg CO ₂ Eq.) (Tg	CO ₂ Eq.)	Assessment	Assessment
SF ₆ Emissions from Magnesium Production and Processing	SF ₆	5.4	3.2	<0.01	1.00
PFC Emissions from Aluminum Production	PFCs	18.5	2.5	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO_2	2.2	2.6	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.5	2.1	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.2	1.9	<0.01	1.00
N ₂ O Emissions from Composting	N_2O	0.4	1.8	<0.01	1.00
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	1.0	1.8	<0.01	1.00
Mobile Combustion: Aviation	N_2O	1.7	1.6	<0.01	1.00
CH ₄ Emissons from Composting	CH₄	0.3	1.6	<0.01	1.00
CO ₂ Emissions from Carbon Dioxide Consumption	CO_2	1.4	1.6	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N_2O	0.8	1.5	<0.01	1.00
CO ₂ Emissions from Ferroalloy Production	CO_2	2.2	1.5	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.5	1.2	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH₄	0.9	1.0	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.3	0.9	<0.01	1.00
CH ₄ Emissions from Field Burning of Agricultural Residues	CH ₄	0.7	0.8	<0.01	1.00
Mobile Combustion: Marine	N_2O	0.4	0.4	<0.01	1.00
N ₂ O Emissions from Field Burning of Agricultural Residues	N_2O	0.4	0.5	<0.01	1.00
CO ₂ Emissions from Zinc Production	CO_2	0.9	0.5	<0.01	1.00
N ₂ O Emissions from Municipal Solid Waste Combustion	N_2O	0.5	0.4	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal					
Energy	CO_2	0.4	0.4	<0.01	1.00
CO ₂ Emissions from Petroleum Systems	CO_2	0.4	0.3	<0.01	1.00
CO ₂ Emissions from Lead Production	CO_2	0.3	0.3	<0.01	1.00
CO ₂ Emissions from Silicon Carbide Production and					
Consumption	CO_2	0.4	0.2	<0.01	1.00
Mobile Combustion: Aviation	CH₄	0.2	0.1	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.1	0.1	<0.01	1.00
CH ₄ Emissions from Ferroalloy Production	CH ₄	<0.1	<0.1	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production and					
Consumption	CH₄	<0.1	<0.1	<0.01	1.00

Table A- 8: 1990-2006 Key Source Category Tier 1 Analysis—Trend Assessment, without LULUCF

		1990				
		Estimate			Percent	Cumulative
	Direct	(Tg CO₂	2006 Estimate	Trend	Contribution	Contribution to
IPCC Source Categories	GHG	Eq.)	(Tg CO₂ Eq.)	Assessment	to Trend (%)	Trend (%)
Mobile Combustion: Road & Other	CO ₂	1247.4	1635.9	0.03	21.6	22
CO ₂ Emissions from Stationary Combustion - Coal	CO_2	1698.9	2065.3	0.02	12.9	34
Emissions from Substitutes for Ozone Depleting						
Substances	Several	0.3	107.3	0.01	10.8	45
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	575.9	601.7	0.01	5.6	51
Direct N ₂ O Emissions from Agricultural Soil						
Management	N ₂ O	379.4	379.3	0.01	5.4	56
CO ₂ Emissions from Iron and Steel Production	CO_2	84.9	47.7	0.01	5.0	61
CH ₄ Emissions from Landfills	CH ₄	149.6	125.7	0.01	4.6	66
Fugitive Emissions from Natural Gas Systems	CH ₄	124.7	102.4	<0.01	4.0	70
Fugitive Emissions from Coal Mining	CH ₄	84.1	58.5	< 0.01	3.8	74
Mobile Combustion: Aviation	CO ₂	180.0	170.6	<0.01	3.5	77
HFC-23 Emissions from HCFC-22 Production	HFCs	35.0	13.8	< 0.01	2.6	80
PFC Emissions from Aluminum Production	PFCs	18.5	2.5	<0.01	1.9	82
CH ₄ Emissions from Enteric Fermentation	CH ₄	126.9	126.2	< 0.01	1.9	84
SF ₆ Emissions from Electrical Transmission and						
Distribution	SF ₆	26.7	13.2	< 0.01	1.7	85
Mobile Combustion: Road & Other	N_2O	41.4	31.1	<0.01	1.6	87
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.3	5.9	<0.01	1.2	88

IDCC Source Ceteronics	Direct GHG	1990 Estimate (Tg CO ₂	2006 Estimate			Contribution to
IPCC Source Categories	CH ₄	Eq.) 33.9		Assessment		Trend (%)
Fugitive Emissions from Petroleum Systems			28.4	<0.01	1.0	89
CO ₂ Emissions from Natural Gas Systems	CO ₂	33.7	28.5	<0.01	1.0	90
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	975.4	1121.9	<0.01	0.9	91
Mobile Combustion: Marine	CO ₂	46.1	43.6	<0.01	0.9	92
CO ₂ Emissions from Municipal Solid Waste						
Combustion	CO ₂	10.9	20.9	<0.01	0.9	93
Indirect N ₂ O Emissions from Applied Nitrogen	N ₂ O	51.1	50.4	<0.01	8.0	94
CO ₂ Emissions from Cement Manufacture	CO ₂	33.3	45.7	<0.01	8.0	94
CO ₂ Emissions from Ammonia Manufacture and Urea						
Application	CO ₂	16.9	12.4	<0.01	0.7	95
CH ₄ Emissions from Manure Management	CH ₄	31.0	41.4	<0.01	0.6	96
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	117.2	138.0	< 0.01	0.4	96
CO ₂ Emissions from Aluminum Production	CO_2	6.8	3.9	< 0.01	0.4	
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.0	15.6	< 0.01	0.4	97
SF ₆ Emissions from Magnesium Production and						
Processing	SF ₆	5.4	3.2	<0.01	0.3	97
Mobile Combustion: Road & Other	CH ₄	4.5	2.1	<0.01	0.3	98
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.0	23.9	<0.01	0.2	
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.5	8.6	<0.01	0.2	
	CH ₄	7.4	6.2	<0.01	0.2	
Non-CO ₂ Emissions from Stationary Combustion						
CH ₄ Emissions from Rice Cultivation	CH₄	7.1	5.9	<0.01	0.2	
CO ₂ Emissions from Lime Manufacture	CO_2	12.0	15.8	<0.01	0.2	99
Fugitive Emissions from Abandoned Underground Coal			- 4	2.24		20
Mines	CH ₄	6.0	5.4	<0.01	0.2	99
PFC, HFC, and SF ₆ Emissions from Semiconductor						
Manufacture	SF ₆	2.9	4.8	<0.01	0.1	99
N ₂ O Emission from Composting	N_2O	0.4	1.8	<0.01	0.1	99
CH ₄ Emissions from Composting	CH₄	0.3	1.6	<0.01	0.1	99
N ₂ O Emissions from Wastewater Treatment	N_2O	6.3	8.1	<0.01	0.1	99
CO ₂ Emissions from Ferroalloy Production	CO_2	2.2	1.5	<0.01	0.1	99
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.4	4.4	<0.01	0.1	100
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.5	1.2	< 0.01	0.1	100
CO ₂ Emissions from Soda Ash Manufacture and						
Consumption	CO_2	4.1	4.2	< 0.01	0.1	100
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.3	0.9	< 0.01	0.1	100
CO ₂ Emissions from Zinc Production	CO_2	0.9	0.5	< 0.01	0.1	100
N ₂ O Emissions from Manure Management	N ₂ O	12.1	14.3	<0.01	0.1	100
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.2	1.9	<0.01	0.1	100
Mobile Combustion: Aviation	N ₂ O	1.7	1.6	<0.01	<0.1	100
CO ₂ Emissions from Silicon Carbide Production and	11/20	1.7	1.0	10.01	٠٠.١	100
Consumption	CO_2	0.4	0.2	<0.01	<0.1	100
N ₂ O Emissions from Municipal Solid Waste	002	0.4	0.2	\0.01	\0.1	100
	N O	0.5	0.4	-0.01	-0.1	100
Combustion	N ₂ O	0.5	0.4	<0.01	<0.1	100
CO ₂ Emissions from Petroleum Systems	CO ₂	0.4	0.3	<0.01	<0.1	100
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.8	14.5	<0.01	<0.1	100
N ₂ O Emissions from Field Burning of Agricultural						
Residues	N_2O	0.4	0.5	<0.01	<0.1	100
CO ₂ Emissions from Stationary Combustion -						
Geothermal Energy	CO_2	0.4	0.4	<0.01	<0.1	100
Mobile Combustion: Marine	N_2O	0.4	0.4	<0.01	<0.1	100
CO ₂ Emissions from Lead Production	CO_2	0.3	0.3	< 0.01	<0.1	100
Mobile Combustion: Aviation	CH ₄	0.2	0.1	< 0.01	<0.1	100
CO ₂ Emissions from Petrochemical Production	CO_2	2.2	2.6	< 0.01	<0.1	100
CH ₄ Emissions from Field Burning of Agricultural			•			. 30
Residues	CH ₄	0.7	0.8	<0.01	<0.1	100
CO ₂ Emissions from Carbon Dioxide Consumption	CO ₂	1.4	1.6	<0.01	<0.1	100
CH ₄ Emissions from Petrochemical Production	CH ₄	0.9	1.0	<0.01	<0.1	100
C.14 Elizabiona from Foliabilitation Froduction	O1 14	0.5	1.0	10.01	٠٠.١	100

	Direct	1990 Estimate (Tg CO ₂	2006 Estimate	Trend	Percent	Cumulative Contribution to
IPCC Source Categories	GHG	(1g CO ₂ Eq.)			to Trend (%)	Trend (%)
CH ₄ Emissions from Silicon Carbide Production and						
Consumption	CH ₄	0.0	0.0	< 0.01	<0.1	100
Mobile Combustion: Marine	CH ₄	0.1	0.1	<0.01	<0.1	100
CH ₄ Emissions from Ferroalloy Production	CH ₄	<0.1	<0.1	<0.01	<0.1	100

Note: LULUCF sources and sinks are not included in this analysis.

<u>Table A- 9: 1990-2006 Key Source Category Tier 1 Analysis—Trend Assessment, with LULUCF</u> 1990

		1990 Fatimata			Davaant	Cumulativa
	Direct	Estimate (Tg CO ₂	2006 Estimate	Trend	Percent Contribution Co	Cumulative
IPCC Source Categories	GHG	(19 002 Eq.)		Assessment	to Trend (%)	Trend (%)
Mobile Combustion: Road & Other	CO ₂	1247.4	1635.9	0.02	18.7	19
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1698.9	2065.3	0.01	10.4	29
Emissions from Substitutes for Ozone Depleting						
Substances	Several	0.3	107.3	0.01	9.9	39
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	575.9	601.7	0.01	5.6	45
Direct N ₂ O Emissions from Agricultural Soil						
Management	N_2O	379.4	379.3	0.01	5.3	50
CO ₂ Emissions from Iron and Steel Production	CO ₂	84.9	47.7	0.01	4.6	55
CH ₄ Emissions from Landfills	CH ₄	149.6	125.7	<0.01	4.3	59
Fugitive Emissions from Natural Gas Systems	CH ₄	124.7	102.4	<0.01	3.8	63
Fugitive Emissions from Coal Mining	CH ₄	84.1	58.5	<0.01	3.6	66
Mobile Combustion: Aviation	CO ₂	180.0	170.6	<0.01	3.4	70
CO ₂ Emissions from Forest Land Remaining Forest						
Land	CO ₂	621.7	745.1	<0.01	2.8	73
HFC-23 Emissions from HCFC-22 Production	HFCs	35.0	13.8	<0.01	2.5	75
CO ₂ Emissions from Settlements Remaining						
Settlements	CO_2	60.6	95.5	<0.01	2.4	77
CH ₄ Emissions from Enteric Fermentation	CH₄	126.9	126.2	<0.01	1.8	79
PFC Emissions from Aluminum Production	PFCs	18.5	2.5	<0.01	1.8	81
SF ₆ Emissions from Electrical Transmission and						
Distribution	SF ₆	26.7	13.2	<0.01	1.6	83
Mobile Combustion: Road & Other	N_2O	41.4	31.1	<0.01	1.5	84
CO ₂ Emissions from Landfilled Yard Trimmings and						
Food Scraps	CO ₂	22.8	9.8	<0.01	1.5	86
CO ₂ Emissions from Grassland Remaining Grassland	CO ₂	1.9	16.2	<0.01	1.3	87
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.3	5.9	<0.01	1.1	88
Fugitive Emissions from Petroleum Systems	CH ₄	33.9	28.4	<0.01	1.0	89
CO ₂ Emissions from Natural Gas Systems	CO ₂	33.7	28.5	<0.01	1.0	90
Mobile Combustion: Marine	CO ₂	46.1	43.6	<0.01	0.9	91
Indirect N ₂ O Emissions from Applied Nitrogen	N ₂ O	51.1	50.4	<0.01	0.8	92
CO ₂ Emissions from Municipal Solid Waste		40.0				
Combustion	CO ₂	10.9	20.9	<0.01	0.8	92
CO ₂ Emissions from Land Converted to Cropland	CO ₂	14.7	9.4	<0.01	0.7	93
CO ₂ Emissions from Cement Manufacture	CO ₂	33.3	45.7	<0.01	0.7	94
CO ₂ Emissions from Cropland Remaining Cropland	CO ₂	23.0	33.8	<0.01	0.7	94
CO ₂ Emissions from Ammonia Manufacture and Urea	00	40.0	40.4	.0.04	0.7	0.5
Application	CO ₂	16.9	12.4	<0.01	0.7	95
CH ₄ Emissions from Manure Management	CH₄	31.0	41.4	<0.01	0.5	96 06
CO ₂ Emissions from Aluminum Production	CO ₂	6.8	3.9	<0.01	0.4	96
N₂O Emissions from Nitric Acid Production	N_2O	17.0	15.6	<0.01	0.4	96
CH ₄ Emissions from Forest Land Remaining Forest	011	7.4	44.0	-0.04	0.0	07
Land	CH ₄	7.1	11.6	< 0.01	0.3	97
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	117.2	138.0	<0.01	0.3	97
SF ₆ Emissions from Magnesium Production and	CF	F 4	2.0	-0.04	0.0	07
Processing Mobile Combustion: Road & Other	SF ₆	5.4	3.2	<0.01	0.3	97
	CH₄	4.5	2.1	<0.01 <0.01	0.3 0.2	98
CH ₄ Emissions from Wastewater Treatment	CH ₄	23.0	23.9	~ 0.01	0.2	98

	Direct	1990 Estimate (Tg CO ₂	2006 Estimate	Trend	Percent Contribution C	Cumulative ontribution to
IPCC Source Categories	GHG	Eq.)		Assessment	to Trend (%)	Trend (%)
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.4	6.2	<0.01	0.2	98
CH ₄ Emissions from Rice Cultivation	CH ₄	7.1	5.9	<0.01	0.2	98
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.5	8.6	<0.01	0.2	98
CO ₂ Emissions from Lime Manufacture	CO_2	12.0	15.8	<0.01	0.2	99
Fugitive Emissions from Abandoned Underground Co						
Mines	CH ₄	6.0	5.4	< 0.01	0.1	99
PFC, HFC, and SF ₆ Emissions from Semiconductor						
Manufacture	SF ₆	2.9	4.8	< 0.01	0.1	99
N ₂ O Emission from Composting	N_2O	0.4	1.8	< 0.01	0.1	99
CH ₄ Emissions from Composting	CH ₄	0.3	1.6	< 0.01	0.1	99
CO ₂ Emissions from Ferroalloy Production	CO_2	2.2	1.5	<0.01	0.1	99
N ₂ O Emissions from Wastewater Treatment	N ₂ O	6.3	8.1	<0.01	0.1	99
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.4	4.4	<0.01	0.1	99
N ₂ O Emissions from Forest Land Remaining Forest	1120			-0.01	0.1	00
Land	N_2O	0.8	1.5	<0.01	0.1	99
N ₂ O Emissions from Settlements Remaining	IN2O	0.0	1.5	\0.01	0.1	33
Settlements	N_2O	1.0	1.8	<0.01	0.1	100
	IN2O	1.0	1.0	<0.01	0.1	100
CO ₂ Emissions from Soda Ash Manufacture and	00	4.4	4.0	-0.01	0.1	100
Consumption	CO ₂	4.1	4.2	< 0.01	0.1	100
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.5	1.2	<0.01	0.1	100
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.3	0.9	<0.01	0.1	100
CO ₂ Emissions from Zinc Production	CO_2	0.9	0.5	<0.01	0.1	100
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.2	1.9	<0.01	<0.1	100
N ₂ O Emissions from Manure Management	N_2O	12.1	14.3	<0.01	<0.1	100
Mobile Combustion: Aviation	N_2O	1.7	1.6	<0.01	<0.1	100
CO ₂ Emissions from Stationary Combustion - Gas	CO_2	975.4	1121.9	<0.01	<0.1	100
CO ₂ Emissions from Silicon Carbide Production and						
Consumption	CO_2	0.4	0.2	<0.01	<0.1	100
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.8	14.5	<0.01	<0.1	100
N ₂ O Emissions from Municipal Solid Waste						
Combustion	N_2O	0.5	0.4	<0.01	<0.1	100
CO ₂ Emissions from Petroleum Systems	CO_2	0.4	0.3	< 0.01	<0.1	100
N ₂ O Emissions from Field Burning of Agricultural						
Residues	N_2O	0.4	0.5	< 0.01	<0.1	100
CO ₂ Emissions from Land Converted to Grassland	CO_2	14.3	16.3	< 0.01	<0.1	100
CO ₂ Emissions from Stationary Combustion -						
Geothermal Energy	CO_2	0.4	0.4	< 0.01	<0.1	100
Mobile Combustion: Marine	N ₂ O	0.4	0.4	<0.01	<0.1	100
CO ₂ Emissions from Lead Production	CO ₂	0.3	0.3	<0.01	<0.1	100
CO ₂ Emissions from Carbon Dioxide Consumption	CO ₂	1.4	1.6	<0.01	<0.1	100
Mobile Combustion: Aviation	CH ₄	0.2	0.1	<0.01	<0.1	100
CH ₄ Emissions from Field Burning of Agricultural	0114	0.2	0.1	-0.01	-0.1	100
Residues	CH ₄	0.7	0.8	<0.01	<0.1	100
CH ₄ Emissions from Silicon Carbide Production and	OI 14	0.7	0.0	\0.01	~0.1	100
	CH ₄	0.0	0.0	<0.01	<0.1	100
Consumption						
CO ₂ Emissions from Petrochemical Production	CO ₂	2.2	2.6	< 0.01	<0.1	100
CH ₄ Emissions from Petrochemical Production	CH ₄	0.9	1.0	<0.01	<0.1	100
Mobile Combustion: Marine	CH ₄	0.1	0.1	<0.01	<0.1	100
CH ₄ Emissions from Ferroalloy Production	CH ₄	<0.1	<0.1	<0.01	<0.1	100

References

1 2

3 4 5

Flugsrud, K., W. Irving, and K. Rypdal (1999) Methodological Choice in Inventory Preparation. Suggestions for Good Practice Guidance. Statistics Norway Department of Economic Statistics. 1999/19.

1 2	IPCC (2000) <i>Good Practice Guidance</i> and Uncertainty Management in National Greenhouse Inventories, Intergovernmental Panel on Climate Change, National Greenhouse Gas Inventories Programme.	Gas